



Smart Vento 3

Type	Active wireless compact speaker
Engineering Principle	2-way bass reflex
Systempower	350 watts per speaker
Frequency response	25...30.000 Hz
Crossover frequency	3.000 Hz
Mid-/Woofersystem	1 x 174 mm (6,8"), Titanium (Wave surround)
Tweeter	1 x 25 mm (1"), Titanium (Wave surround)
Connection	1 x Analogue input (chinch) 1 x Bluetooth® 3.0 Interface (apt-X® Decoding for transmission in CD quality) 1 x Digital Input (coaxial) 1 x Digital Input (optical) 1 x USB-Input with XMOS® technology 1 x XLR (Balanced)
Features	Decoder: Dolby Audio®, DTS Digital Surround® Internal wireless network to connect to other Smart Series models Bluetooth® wireless technology LED-Display Virtual Surround for Stereo, Musik & Surround Sound Virtual Center at 4.0 home cinema mode
Special Features	Wireless transmission between speakers Easy installation - one cable to the TV set, one cable to the wall socket Volume adjustment per loudspeaker Setting the listening distance per loudspeaker Voice function - for better speech reproduction in stereo & surround sound Equalizer - adaptation to spatial conditions Dynamic Range Control - Setting the Dynamic Range Sleep timer - Setting the turn-off time IR learning function - controllable with TV / system remote control Input Direct Dial - ideal for system remote controls IR clear function - simplest deletion of unwanted learning functions Automatic switch-on and switch-off Configuration of the inputs - Input renaming LipSync function - for exact speech synchronization System Volume - Setting the Maximum Level Restore factory settings - Reset function Wireless Speaker Pairing - pairing of the wireless loudspeakers Bluetooth Select - Automatically selects BT input Autoplay Function - Automatic Bluetooth® Playback USB Playback fabric grill with magnetic mount
Warranty	2 years
Dimensions (WxHxD)	22 x 40 x 30 cm (8.7" x 15.8" x 11.8")
Weight	9.1 kg
Power consumption	ECO/MAN: 0,5 watts, NSB: 1,5 watts (factory setting)
Available accessories	Loudspeaker stand LS 850.3

Carton Content	1 x Smart Vento 3 (Master) 1 x Smart Vento 3 (Slave) remote control mains cable Optical digital audio cable (1,5m) coaxial digital audio cable (1,5m) Analogue stereo audio cable (1,5m) Equipmentfeet Fabric grill with magnetic mount Manual
Packaging	50,5 x 42,5 x 33 cm (19,9" x 16,7" x 13")